



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Noel John de Souza, et al.

Application No.: 09/919,347

Group No.: 1625

Filed: July 31, 2001

Examiner: D. Margaret M Seaman

For: INHIBITORS OF CELLULAR EFFLUX PUMPS OF MICROBES

Attorney Docket No.: U 013560-1

Mail Stop RCE

Commissioner for Patents

P. O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT

Please amend the above-identified application as follows:

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. 1.8(a)

☐ with sufficient postage as first class mail.

37 C.F.R. 1.10*

☒ as "Express Mail Post Office to Addressee"
Mailing Label No. EY 481668345 US
(mandatory)

TRANSMISSION

☐ transmitted by facsimile to the Patent and Trademark Office.

Signature

CONNIE YANNOTTI

(type or print name of person certifying)

Date: May 17, 2004

***WARNING:**

Each paper or fee filed by "Express Mail" must have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).

"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will not be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.

[] Charge Account No. _____ in the amount of \$ _____.
A duplicate of this request is attached.

If any additional fees are due, please charge Account 12-0425.



SIGNATURE OF PRACTITIONER

Reg. No. 33,778

Janet I. Cord
(type or print name of practitioner)

Tel. No.: (212)708-1935

P.O. Address

Customer No.:

c/o Ladas & Parry LLP
26 West 61st Street
New York, N.Y. 10023